



We're expanding our line of **GRAVEL HOPPERS**

Introducing

the **NEW**
THINWALL® Super
Quad Gravel Hopper



- **LIGHT WEIGHT**
- **DURABLE**
- **DUAL HOPPER**

48' 4 AXLE GRAVEL HOPPER THINWALL® TRAILER - S.P.I.F.#3



www.titantrailers.com



TITAN 48' 4 Axle Gravel Hopper - THINWALL® Trailer (S.P.I.F.#3)



Specifications

Payload Gravel

Dimensions

Length	48' (14.63m)
Width	102" (2.59m)
Overall Height	132.5" (3.37m)
Interior Slope Angles	40° Front & Rear, 49.5° Centre slopes
Level Volume	1,248 ft ³ (46.2 cubic yards)
Weight Super Singles	18,629 lb (8,450 kg) (Includes Tarp & UHMW Liner)
Weight Duals	19,202 lb (8,710 kg) (Includes Tarp & UHMW Liner)

Running Gear

Axles/Suspensions	Hendrickson Intraax AAT300 Steer - Titan ParaMAX
ABS/Brake System	4S2M
Brake Type	Disc
Tires	Michelin Super Singles
Landing Gear	MV Plastecnic Drop Leg, Aluminum

Body

Side Panels	14" Heavy Duty Aluminum; Patented THINWALL Horizontal Hollow-Core Extruded Panels
Hopper Gates	All Aluminum Construction, 18" Gate Opening, Air Operated, Adjustable Gate Stops
Mud flaps	Black Rubber with Titan logo
Bumper	Aluminum Offset Push with Tow Shackles





TITAN 48' 4 Axle Gravel Hopper - THINWALL® Trailer (S.P.I.F.#3)



TAILOR YOUR TITAN

to suit your personal preference and application



Disc Brakes



Rear Enclosure with Access
to Air Tanks and Valving



Aluminum Landing Gear,
Drop Leg Style



Front Steps



Aluminum Neck Fenders



Air Operated,
Spring Assisted Front to
Back Tarp System



Smooth Fenders with High
Clearance Pipe Brackets




Aluminum Coupler
Assembly with Bolt In
Kingpin



Aluminum Push Bumper
with Steel Inserts, C/W
Tow Shackles



High Lift Titan ParaMAX
Steer Suspension



Aluminum Air Tanks



Dual Hopper Gates

KEY FEATURES

- The patented THINWALL® panel features a horizontal tongue-in-groove joint that allows 100% machine welding inside & outside for end-to-end strength
- 100% welded, all aluminum construction provides an industry leading strength to weight ratio
- Dual hopper design allows for proper weight distribution on the truck and trailer and also helps lower the centre of gravity

HEAD OFFICE

1129 Hwy #3, R.R. #3 • Delhi, Ontario, Canada N4B 2W6
Tel: 519-688-4826 Fax: 519-688-6453 • e-mail: info@titantrailers.com



Strength Through Innovation  www.titantrailers.com